# PATIENT SUPPORT PROGRAM ENROLLMENT FORM

IS THE PATIENT CURRENTLY RECEIVING INTRAVENOUS (IV) INFLIXIMAB?



**OR** 



Monday - Friday, 8 AM - 8 PM ET / Phone: 1-877-81CONNC (1-877-812-6662) / Fax: 833-912-3707 / www.CelltrionConnect.com

#### INSTRUCTIONS FOR COMPLETION

Celltrion CONNECT® offers 3 options for enrollment:

# Option 1: Submit through the portal

At <u>www.CelltrionConnect.com/ZYMFENTRA/hcpportal</u>, a healthcare provider can:

- Enroll a patient into Celltrion CONNECT®
- Instruct a patient to access and sign the patient consent

# **Option 2: Send an ePrescription**

- Select ePrescribe to Phyz via the pharmacy drop-down menu:
   NCPDP: 5928809 | Phone: 844-590-5792
- Phyz will facilitate the enrollment process into Celltrion CONNECT®
  - Attach the patient's insurance card(s), demographics, chart notes, and clinical documentation
  - Celltrion Connect will forward the ZYMFENTRA<sup>TM</sup> (infliximab-dyyb) prescription to the patient's pharmacy of choice

# **Option 3: Complete this form**

- Attach both sides of the patient's insurance card(s)
- Attach the patient's demographics, chart notes, and clinical documentation
- Have the patient and prescriber sign the form
- Fax the completed form to 833-912-3707

Patients may sign the form electronically by visiting <a href="https://www.CelltrionConnect.com/ZYMFENTRA">www.CelltrionConnect.com/ZYMFENTRA</a>

# **Program Offerings**

Upon enrolling in the program, Celltrion will assist patients getting started on ZYMFENTRA including benefit investigation, prior authorization and appeal support, determining eligibility for financial assistance, as well as dedicated Nurse Connector™ support.

Yes	No				
Which IV infliximab product is the patient receiving?	Would you like Celltrion CONNECT® to verify coverage for IV infliximab? Yes No				
	If yes, please complete the followi	ng:			
Date of First Dose: MM / DD / MYYYY OR	Infusion site name, if different from pres	scriber:			
Date of Last Dose://	Address: City: State: Zip:				
Fill out patient information		•			
	Site NPI:	Tax ID:	Medicare #:		
	Please send statement of coverage to:	Infusion Site Prescriber Bot	h		
When do you anticipate the patient starting	ZYMFENTRA? <u>MM</u> / <u>DD</u> / <u>YYYYY</u>				
, , ,					
PATIENT INFORMATION ALL FIELDS MARKET	WITH AN * ARE REQUIRED				
*First Name:	M.I.:	*Last Name:			
*Address:	*City:		*State: *Zip:		
*Date of Birth:// Sex:	Male Female Prefer Not to Ans	wer *Email:			
*Primary Phone: ( )	Cell Home Secondary Phone: (_	) Cell	Home Preferred Contact Method: Cell Home		
Alternate Contact:	Relationship to F	Patient:	Preferred Contact: Patient Alternate Contact		
Primary Phone: ()	Cell Home Secondary Phone: (	)Cel	l Home		
Preferred Language: English Other:			<u> </u>		
PATIENT INSURANCE INFORMATION PLEA	ASE ATTACH A COPY OF THE PATIENT'S INSUI	RANCE CARD(S) (FRONT AND BACK). IF	NOT AVAILABLE, PLEASE COMPLETE THE FOLLOWING:		
Patient Does Not Have Insurance If patient is u	ninsured, please complete the Patient Assista	ance Program application available at w	ww.CelltrionConnect.com.		
Patient Does Not Have Insurance If patient is u Primary Insurance:	, ,				
•	Policyho	older Name:			
Primary Insurance:	Policyho	older Name:	_ Policyholder Date of Birth:///		
Primary Insurance: Primary Policy #: Secondary Insurance:	Policyho	older Name:	_ Policyholder Date of Birth:///		
Primary Insurance:  Primary Policy #:  Secondary Insurance:  Secondary Policy #:	Policyho	older Name:	Policyholder Date of Birth://		
Primary Insurance: Primary Policy #: Secondary Insurance: Secondary Policy #: Do you have a separate pharmacy benefit card:	Policyho Primary Group #: Policyho Secondary Group #: Yes No	older Name:	Policyholder Date of Birth://		

PRESCRIBER INFORMATION ALL FIELDS REQUIRED				
		M.I.: Last Name:		
		Tax ID #:		
		City:	State:	_ Zip:
		Fax: ()		
		Practice Contact First Name:		
litle:		Phone: ( ) Pract	ice Email Address:	
PRESCRIPTION INF	ORMATION ALL F	FIELDS REQUIRED		
Patient Name:			Patient Date of Birt	h: <u>MM / DD / YYYY</u>
Preferred Specialty Phari	macy, if known:			
ZYMFENTRA™	Select	ICD-10: K50 (Moderately to severely active Crohn's Disease follow	ring treatment with an infliximab product admir	nistered intravenously)
(infliximab-dyyb)	Indication:	ICD-10: K51 (Moderately to severely active Ulcerative Colitis follo	•	•
			Quantity:	
		120 mg/ml solution in a single-dose pre-filled pen,	#2 (1 month)	Refills:
	Calact Ouantity	inject SC every 2 weeks	#6 (3 months)	
	Select Quantity and Refill:		Quantity:	
		120 mg/ml solution in a <b>pre-filled syringe</b> with needle shield,	#2 (1 month)	Refills:
		inject SC every 2 weeks	#6 (3 months)	
ZYMFENTRA for an on-la Patients who are coverec of Defense are not eligib including when initiation	bel indication and th d, in whole or part, the le. Eligibility for cont n of coverage for ZYI	e patients, including those with commercial insurance experiencing dela heir participation is in no way contingent on any requirement or obligat hrough a state or federal healthcare program, including but not limited tinued participation will be verified periodically and patients will not be MFENTRA is approved by the patient's commercial insurance plan. Void vat any time without notice.	ion to purchase ZYMFENTRA or any other Celltrio to Medicare, Medicaid, Medigap, CHAMPUS, TRIO eligible to continue participating if they no long	on product or service at any time. CARE, Veterans Affairs, or Department yer satisfy the eligibility criteria,
	y to the above-name	atient's eligibility to receive ZYMFENTRA at no cost. I authorize Celltr ed patient. I understand that eligibility will be reverified periodically d patient.		
If authorized above,	, complete the preso	cription below.		
ZYMFENTRA™ (infliximab-dyyb)	Select Indication:	120 mg/mL solution in a single-dose <b>pre-filled pen</b> , inject su 120 mg/mL solution in a single-dose <b>pre-filled syringe</b> with		veeks
	Quantity:	1 (# of packs)		
	Refills:	12		
		-		
PRESCRIBER ATTES	TATION/AUTHOI	RIZATION		
HIPAA and state law to re program, including, assis	elease protected heasting the patient wit	ests that they have obtained any and all authorizations and consents from th information, including that contained on this form, to Celltrion and i th benefits verification, prior authorization/appeals assistance, dispensin which the patient may be eligible, and other support for Celltrion's med	ts employees or agents for the purposes relating ng and delivery of the medication, financial assis	to Celltrion's patient support
		d consent from the patient or the patient's caregiver to be contacted by described above and for other non-marketing purposes.	Celltrion, Celltrion CONNECT®, and parties acting	on their behalf at the phone
The provider certifies that they are the prescriber of ZYMFENTRA to the patient and that the therapy is medically necessary. The provider authorizes Celltrion to act on their behalf to transmit this prescription by any means necessary to the pharmacy chosen by the patient.				
Please select one option and sign below: Dispense As Written/Brand Medically Necessary/Do Not Substitute/No Substitution/DAW/May Not Substitute				
CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "No Substitution" HERE				
SIGN & DATE	Prescriber	Signature:	Dat	te: MM / DD / YYYY

<sup>\*</sup>Please see Important Safety Information, including BOXED WARNING, on last page.
Please see Full Prescribing Information <a href="https://www.zymfentra.com/wp-content/uploads/2023/11/zymfentra\_prescribing\_information\_final.pdf">https://www.zymfentra.com/wp-content/uploads/2023/11/zymfentra\_prescribing\_information\_final.pdf</a>

# PATIENT AUTHORIZATION TO SHARE HEALTH INFORMATION

By signing this form, the patient gives their permission for their physicians, pharmacies, laboratories, and other healthcare providers ("Healthcare Providers") and their health insurers to share their individually identifiable health information with Celltrion USA, Inc., the Celltrion Patient Assistance Foundation, Celltrion affiliates and its vendors (collectively, "Celltrion").

The patient understands that their individually identifiable health information may include their full name, address, date of birth, demographic information, financial information, insurance information and information related to medical condition, treatment, care management, medication history, and prescriptions (collectively, "Health Information"), whether in written or verbal form, including portions of their medical record.

The patient's Health Information will be shared with Celltrion so that Celltrion may provide them with various support and information to help them access a Celltrion medicine, which may include the following, depending on the program (collectively, "Patient Support Activities"):

- Processing this Application;
- Verifying the information provided in this Application;
- Providing benefit investigations/verification and reimbursement support, including:
- Assisting with identification of prior authorization requirements;
- Assisting with identification of requirements of their insurer for appeal of a denied claim;
- Determining their eligibility for and helping them access co-pay support or free drug programs;
- Communicating with their Healthcare Providers about a Celltrion medicine and Patient Support Activities;
- · Coordinating the dispensing and delivery of medication;
- Providing them with financial assistance resources and information if they are eligible;
- Providing them with disease management and other educational materials, as well as information about Celltrion's products, services, and programs, and may include sending them surveys about their experience with Celltrion products, services, and programs; and
- Providing them with access to Nurse Connectors who can assist in medication and adherence communications, medication dispensing support, and supplemental injection training.

Celltrion also may use their Health Information for auditing for compliance with Program requirements, quality assurance purposes, and to evaluate and improve our operations and services.

The patient understands that they do not have to sign this form, and choosing not to sign will not affect their ability to receive treatment from their Healthcare Providers or payment from their health insurer. However, if they do not sign this form, Celltrion may not be able to provide them with assistance.

The patient understands that once their Health Information is shared, it may no longer be protected by federal privacy law. However, Celltrion agrees to protect their Health Information and to use it for the purposes described in this form or as required or permitted by law. Select pharmacies may receive remuneration from Celltrion in exchange for their Health Information and/or for any Patient Support Activities provided to them. The patient understands that this form will remain in effect for [4] years from the date of their signature or shall otherwise expire at a shorter duration as required under applicable State law, unless they provide written notice that they would like to withdraw their approval to share their Health Information sooner. MARYLAND HEALTHCARE PROVIDERS, under Md. Code, Health - Gen. § 4-303(b)(4), this authorization expires ONE YEAR from the date of signature. If the patient would like to withdraw their approval, they may contact Celltrion at 1-877-81CONNC (1-877-812-6662). This withdrawal will not affect the use or sharing of their Health Information that took place before they withdraw their approval. The patient understands that they may receive a copy of this form.

Jun.	SIGN & DATE
m	

Patient or Patient Authorized Representative Signature:		
If Patient Representative, First Name:	If Patient Representative, Last Name:	
Relationship to Patient:		

**By checking this box,** the patient elects to **opt out** from nursing support.

#### PATIENT AUTHORIZATION TO TELEPHONE CONSUMER PROTECTION ACT (TCPA) INFORMATION

By signing up for text messages from Celltrion, the patient agrees that they are the primary owner of the phone number provided and consent to receiving promotional communications in the form of phone calls or text messages relating to Celltrion products and services and/or their condition or treatment. Messages may be sent from an automated system. Consent is not required for the purchase of any goods or services. Message and Data Rates May Apply. Unsubscribe at any time by replying STOP or clicking the unsubscribe link (where available). Text HELP for help. Message frequency varies. To the maximum extent permitted by law: (i) all information contained in SMS text messages is provided "as is" without warranty of any kind, either express or implied, including, but not limited to, the implied warranties of merchantability, fitness for a particular purpose, or non-infringement; and (ii) Celltrion expressly excludes any liability for any direct, indirect, or consequential loss or damage incurred by any user in connection with the receipt, use, failure of, or inability to use, SMS text messages.

The patient also gives their permission to receive communications from Celltrion and parties acting on its behalf, including calls made with an autodialer or prerecorded voice at the phone number(s) provided to determine their eligibility and provide benefits verification, prior authorization/appeals assistance, and financial assistance resources and information, such as co-pay support or free drug programs, Nurse Connectors, supplemental injection training, and/or other non-marketing purposes. The patient understands that they can opt-out of these telephonic communications concerning Patient Support Activities at any time by contacting Celltrion at 1-877-81CONNC (1-877-812-6662), Monday - Friday, 8 AM - 8 PM ET.

Celltrion CONNECT®: View our privacy policy: https://www.celltrionconnect.com/patient-privacy-policy | View our terms of use: https://www.celltrionconnect.com/terms-of-use/

By signing below, the patient expressly consents to the terms of this section.

Patient or Patient Authorized Representative Signature:	Date:/	
If Patient Representative, First Name:	If Patient Representative, Last Name:	
Relationship to Patient:		

By checking this box, the patient accepts receiving SMS messages with the cell phone number provided in the Patient Information section.

## **IMPORTANT SAFETY INFORMATION**

#### WARNING: SERIOUS INFECTIONS and MALIGNANCY

- Increased risk of serious infections leading to hospitalization or death, including tuberculosis (TB), bacterial sepsis, invasive fungal infections (such as histoplasmosis) and infections due to other opportunistic pathogens.
- Discontinue ZYMFENTRA if a patient develops a serious infection or sepsis.
- Perform test for latent TB; if positive, start treatment for TB prior to starting ZYMFENTRA. Monitor all patients for active TB during treatment, even if initial latent TB test is negative.
- Lymphoma and other malignancies, some fatal, have been reported in children and adolescent patients treated with tumor necrosis factor (TNF) blockers, including infliximab.
- Postmarketing cases of fatal hepatosplenic T-cell lymphoma (HSTCL) have been reported in patients treated with TNF blockers including infliximab products. Almost all had received azathioprine or 6 mercaptopurine concomitantly with a TNF blocker at or prior to diagnosis. The majority of cases were reported in patients with Crohn's disease or ulcerative colitis, most of whom were adolescent or young adult males.

## **Contraindications**

ZYMFENTRA is contraindicated in patients with a history of a severe hypersensitivity reaction to other infliximab products, any of its ingredients, or any murine proteins. Reactions have included anaphylaxis.

# **Warnings and Precautions**

- Serious infections: Avoid in patients with active infection. If infection develops, conduct a prompt/complete diagnostic workup appropriate for immunocompromised patients and initiate antimicrobials. If systemic illness develops in patients who reside or travel to regions where mycoses are endemic, consider empiric antifungals.
- Malignancies: Malignancies, including lymphoma, were greater in TNF-blocker-treated patients. Consider the higher risk of hepatosplenic T-cell lymphoma (HSTCL) with combination therapy versus increased risk of immunogenicity and hypersensitivity reactions with monotherapy.
- Hepatitis B virus (HBV) reactivation: Test for HBV infection before starting treatment. Monitor HBV carriers during and several months after therapy for active HBV infection. If reactivation occurs, stop ZYMFENTRA and begin anti-viral therapy.
- Hepatotoxicity: Severe hepatic reactions, some fatal or necessitating liver transplantation have occurred in patients receiving infliximab products. Monitor hepatic enzymes and liver function tests every 3-4 months during treatment; investigate liver enzyme elevations and interrupt treatment if drug-induced liver injury is suspected. Instruct patients to seek immediate medical attention if symptoms develop.
- Congestive heart failure (CHF): New onset or worsening symptoms may occur. Avoid in patients with CHF. Monitor for new/worsening symptoms when administering ZYMFENTRA.
- Hematologic Reactions: Advise patients to seek immediate medical attention if signs and symptoms of cytopenia develop; consider stopping if significant hematologic abnormalities develop.
- Hypersensitivity and Other Administration Reactions: Serious hypersensitivity reactions, including anaphylaxis have occurred with intravenous formulations of infliximab; discontinue ZYMFENTRA and start appropriate therapy.
- Neurologic Reactions: Exacerbation or new onset CNS demyelinating disorders may occur; consider discontinuation of ZYMFENTRA.
- Risk of infection with concurrent administration of other biological products: Concurrent use with other immunosuppressive biologics may increase risk of infection.
- Risk of additive immunosuppressive effects from prior biological products: Consider the half-life and mode of action of prior biologics.
- Autoimmunity: Formation of autoantibodies and development of lupus-like syndrome may occur; discontinue ZYMFENTRA if symptoms develop.
- Vaccinations and Use of Live Vaccines/Therapeutic Infectious Agents: Prior to initiating ZYMFENTRA bring patients up to date with vaccinations. Live vaccines or therapeutic infectious agents should not be given with ZYMFENTRA. A 6-month waiting period following birth is recommended before the administration of live vaccines to infants exposed in utero to infliximab.

## Common Adverse Reactions (≥3%)

- Ulcerative Colitis: COVID-19, anemia, arthralgia, injection site reaction, increased alanine aminotransferase, and abdominal pain.
- **Crohn's Disease:** COVID-19, upper respiratory tract infection, headache, injection site reaction, diarrhea, increased alanine aminotransferase, and increased blood creatine phosphokinase, neutropenia, hypertension, urinary tract infection, dizziness, and leukopenia.

# **Drug Interactions**

- Concurrent use with immunosuppressive biologics used to treat UC and CD is not recommended due to risk of infection.
- Formation of CYP450 enzymes may be suppressed by increased levels of cytokines during chronic inflammation. ZYMFENTRA could normalize the formation of CYP450 enzymes potentially resulting in decreased exposure of CYP450 substrates and requiring dose adjustments.

For more information, see Full Prescribing Information including **BOXED WARNING**.

